


Compression Couplings

- Safelok • Stainless steel SS 316 - 2343 • NPT - American taper thread
- BSPP (R) - European parallel thread • BSPT (KR) - European taper thread
- Also available in fractional and 3, 4, 20, 22, 25 mm.



Tube x Thread	Type.No.	Part.No.		
Male Connector		NPT	BSPP	BSPT
3 mm x 1/8"	3m MC2	42-120	42-130	*
3 mm x 1/4"	3m MC4	42-121	42-131	*
6 mm x 1/8"	6m MC2	42-200	42-300	42-800
6 mm x 1/4"	6m MC4	42-201	42-301	42-801
6 mm x 3/8"	6m MC6	42-202	42-303	42-802
6 mm x 1/2"	6m MC8	42-203	42-302	42-803
8 mm x 1/8"	8m MC2	42-204	42-304	42-804
8 mm x 1/4"	8m MC4	42-205	42-307	42-805
8 mm x 3/8"	8m MC6	42-2051	42-3071	42-8051
8 mm x 1/2"	8m MC8	42-2052	*	*
10 mm x 1/4"	10m MC4	42-206	42-308	42-806
10 mm x 3/8"	10m MC6	42-207	42-309	42-807
10 mm x 1/2"	10m MC8	42-208	42-306	42-808
12 mm x 1/4"	12m MC4	42-210	42-310	42-810
12 mm x 3/8"	12m MC6	42-211	42-311	42-811
12 mm x 1/2"	12m MC8	42-212	42-312	42-812
12 mm x 3/4"	12m MC12	42-213	42-313	42-813
15 mm x 3/8"	15m MC6	42-2132	42-3131	42-814
15 mm x 1/2"	15m MC8	42-2133	42-3132	42-815
16 mm x 3/8"	16m MC6	*	42-3134	*
16 mm x 1/2"	16m MC8	42-2136	42-3135	42-8152
18 mm x 1/2"	18m MC8	42-214	42-314	*
18 mm x 3/4"	18m MC12	42-2141	42-3141	42-8141
20 mm x 3/8"	20m MC6	42-2143	42-3143	*
20 mm x 1/2"	20m MC8	42-2144	42-3144	*
20 mm x 3/4"	20m MC12	42-2145	42-3145	*
22 mm x 1/2"	22m MC8	42-215	42-315	*
22 mm x 3/4"	22m MC12	42-2151	42-3151	*
25 mm x 3/8"	25m MC6	42-2155	42-3155	*
25 mm x 1/2"	25m MC8	42-2156	42-3156	*
25 mm x 3/4"	25m MC12	42-2157	42-3157	*
25 mm x 1"	25m MC16	42-2158	42-3158	*
Male Connector with o-ring		BSPP		
6 mm x 1/8"	6m MC2-OR		42-900	
6 mm x 1/4"	6m MC4-OR		42-901	
6 mm x 3/8"	6m MC6-OR		42-902	
12 mm x 1/4"	12m MC4-OR		42-910	
12 mm x 3/8"	12m MC6-OR		42-911	
12 mm x 1/2"	12m MC8-OR		42-912	
Female Connector		NPT	BSPP	BSPT
6 mm x 1/8"	6m FC2	42-216	42-316	42-816
6 mm x 1/4"	6m FC4	42-217	42-317	42-817
6 mm x 3/8"	6m FC6	*	42-318	*
8 mm x 1/8"	8m FC2	42-2182	*	42-818
8 mm x 1/4"	8m FC4	42-219	42-319	42-819
10 mm x 1/4"	10m FC4	42-221	42-321	42-820
10 mm x 3/8"	10m FC6	42-222	42-326	42-821
10 mm x 1/2"	10m FC8	42-2221	*	42-822
12 mm x 1/4"	12m FC4	42-223	42-323	42-823
12 mm x 3/8"	12m FC6	42-224	42-324	42-824
12 mm x 1/2"	12m FC8	42-225	42-325	42-825



* - by order

cont.







I . A . C . Komponenter AB

International Automation Components

Profilgatan 8 S-566 33 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15
E-mail: habo@iackomp.se www.iackomp.se

Compression Couplings

- Safelok • Stainless steel SS 316 - 2343 • NPT - American taper thread
- BSPP (R) - European parallel thread • BSPT (KR) - European taper thread
- Also available in fractional and 3, 4, 20, 22, 25 mm.



Tube x Thread	Type.No.	Part.No.		
---------------	----------	----------	--	--

Female Connector		NPT	BSPP	BSPT
15 mm x 1/2"	15m FC8	*	42-3272	*
16 mm x 1/4"	16m FC4	42-226	42-3273	*
16 mm x 1/2"	16m FC8	42-2262	42-3275	*
18 mm x 1/2"	18m FC8	42-227	*	*
18 mm x 3/4"	18m FC12	42-2271	*	*
20 mm x 1/2"	20m FC8	42-228	*	*

Female Stud Elbow		NPT	BSPP	BSPT
6 mm x 1/8"	6m ME2	42-230	42-330	42-830
6 mm x 1/4"	6m ME4	42-231	42-331	42-831
6 mm x 3/8"	6m ME6	42-232	*	*
8 mm x 1/8"	8m ME2	42-2322	*	42-832
8 mm x 1/4"	8m ME4	42-233	42-333	42-833
8 mm x 3/8"	8m ME6	42-2331	*	*
8 mm x 1/2"	8m ME8	42-2332	*	*
10 mm x 1/4"	10m ME4	42-234	42-339	42-834
10 mm x 3/8"	10m ME6	42-235	42-340	42-835
10 mm x 1/2"	10m ME8	42-2351	*	42-836
12 mm x 1/4"	12m ME4	42-238	42-341	42-837
12 mm x 3/8"	12m ME6	42-236	42-336	42-838
12 mm x 1/2"	12m ME8	42-237	42-337	42-839
15 mm x 3/8"	15m ME6	42-2372	*	*
15 mm x 1/2"	15m ME8	42-2373	*	*
16 mm x 3/8"	16m ME6	*	42-3414	*
16 mm x 1/2"	16m ME8	42-240	42-3415	42-8395
18 mm x 1/2"	18m ME8	42-2375	42-342	42-840
18 mm x 3/4"	18m ME12	42-2376	*	*
20 mm x 3/8"	20m ME6	42-2423	42-3423	*
20 mm x 1/2"	20m ME8	42-2424	42-3424	*
20 mm x 3/4"	20m ME12	42-2425	42-3425	*
22 mm x 1/2"	22m ME8	42-243	42-343	*
22 mm x 3/4"	22m ME12	42-2431	42-3431	*
25 mm x 3/8"	25m ME6	42-2435	42-3435	*
25 mm x 1/2"	25m ME8	42-2436	42-3436	*
25 mm x 3/4"	25m ME12	42-2437	42-3437	*

Female Stud Elbow		NPT	BSPP	BSPT
6 mm x 1/8"	6m FE2	42-105	*	*
6 mm x 1/4"	6m FE4	42-106	*	*
8 mm x 1/8"	8m FE2	42-107	*	*
8 mm x 1/4"	8m FE4	42-108	*	*
10 mm x 1/8"	10m FE2	42-109	*	*
10 mm x 1/4"	10m FE4	42-110	*	*
10 mm x 3/8"	10m FE6	42-1101	*	*
12 mm x 1/4"	12m FE4	42-111	*	*
12 mm x 3/8"	12m FE6	42-112	*	*
12 mm x 1/2"	12m FE8	42-113	42-137	*

Male Branch Tee		NPT	BSPP	BSPT
6 mm x 1/8"	6m TTM2	42-270	42-370	*
6 mm x 1/4"	6m TTM4	42-271	42-371	*
8 mm x 1/4"	8m TTM4	42-272	42-372	*
10 mm x 1/4"	10m TTM4	42-273	42-373	*
12 mm x 3/8"	12m TTM6	42-276	42-376	*
12 mm x 1/2"	12m TTM8	42-277	42-377	*
16 mm x 1/2"	16m TTM8	42-2776	*	*
18 mm x 3/4"	18m TTM12	42-2781	*	*



I . A . C . Komponenter AB


International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se


Compression Couplings

- Safelok • Stainless steel SS 316 - 2343 • NPT - American taper thread
- BSPP (R) - European parallel thread • BSPT (KR) - European taper thread
- Also available in fractional and 3, 4, 20, 22, 25 mm.




Tube x Thread	Type.No.	Part.No.		
---------------	----------	----------	--	--

Male Run Tee		NPT	BSPP	BSPT
6 mm x 1/8"	6m TMT2	42-280	42-290	*
6 mm x 1/4"	6m TMT4	42-281	42-291	*
8 mm x 1/4"	8m TMT4	42-283	42-293	*
10 mm x 1/4"	10m TMT4	42-284	42-294	*
12 mm x 3/8"	12m TMT6	42-286	42-296	42-886
12 mm x 1/2"	12m TMT8	42-287	42-297	42-887
16 mm x 1/2"	16m TMT8	42-2876	*	*
18 mm x 3/4"	18m TMT12	42-2881	*	*




Male Bulkhead Connector		NPT	BSPP	BSPT
12 mm x 1/4"	12m MBH4	42-4905	*	*
12 mm x 3/8"	12m MBH6	42-491	*	42-853
12 mm x 1/2"	12m MBH8	42-490	*	*



Female Bulkhead Connector		NPT	BSPP	BSPT
10 mm x 1/4"	10m FBH4	42-494	*	*
12 mm x 1/2"	12m FBH8	42-495	*	*


Straight Union				
----------------	--	--	--	--

6 mm	6m U	42-244
8 mm	8m U	42-245
10 mm	10m U	42-247
12 mm	12m U	42-246
15 mm	15m U	42-2473
16 mm	16m U	42-2471
18 mm	18m U	42-2472
20 mm	20m U	42-2474
22 mm	22m U	42-2475
25 mm	25m U	42-248



Equal Elbow		
-------------	--	--

6 mm	6m ELU	42-250
8 mm	8m ELU	42-251
10 mm	10m ELU	42-252
12 mm	12m ELU	42-253
15 mm	15m ELU	42-2533
16 mm	16m ELU	42-2534
18 mm	18m ELU	42-2532
20 mm	20m ELU	42-2536
22 mm	22m ELU	42-2535
25 mm	25m ELU	42-254




Union Tee		
-----------	--	--

6 mm	6m TTT	42-264
8 mm	8m TTT	42-265
10 mm	10m TTT	42-266
12 mm	12m TTT	42-267
15 mm	15m TTT	42-2673
16 mm	16m TTT	42-268
18 mm	18m TTT	42-269
20 mm	20m TTT	42-2693
22 mm	22m TTT	42-2695
25 mm	25m TTT	42-2698

Compression Couplings


- Safelok • Stainless steel SS 316 - 2343 • NPT - American taper thread
- BSPP (R) - European parallel thread • BSPT (KR) - European taper thread
- Also available in fractional and 3, 4, 20, 22, 25 mm.



Tube x Thread	Type.No.	Part.No.
---------------	----------	----------


Union Cross

6 mm	6m UC	42-344
8 mm	8m UC	42-345
10 mm	10m UC	42-346
12 mm	12m UC	42-347




Bulkhead Union

6 mm	6m BHU	42-256
8 mm	8m BHU	42-257
10 mm	10m BHU	42-258
12 mm	12m BHU	42-259
15 mm	15m BHU	42-260
16 mm	16m BHU	42-2605
18 mm	18m BHU	42-261




Reducing Union

8 mm x 6 mm	8m RU6	42-350
10 mm x 6 mm	10m RU6	42-351
10 mm x 8 mm	10m RU8	42-3512
12 mm x 6 mm	12m RU6	42-352
12 mm x 8 mm	12m RU8	42-3522
12 mm x 10 mm	12m RU10	42-353
16 mm x 12 mm	16m RU12	42-354
18 mm x 12 mm	18m RU12	42-355



Reducing Adaptor

6 mm x tube 8 OD	6m RED8	42-360
6 mm x tube 10 OD	6m RED10	42-361
6 mm x tube 12 OD	6m RED12	42-362
8 mm x tube 10 OD	8m RED10	42-364
8 mm x tube 12 OD	8m RED12	42-365
10 mm x tube 12 OD	10m RED12	42-363
12 mm x tube 16 OD	12m RED16	42-366
12 mm x tube 18 OD	12m RED18	42-367
18 mm x tube 12 OD	18m RED12	42-368



Male Stud Standpipe Adaptor		NPT	BSPP	BSPT
Tube 6 OD x 1/8"	6m ATPM2	*	42-431	*
Tube 6 OD x 1/4"	6m ATPM4	*	42-432	42-412
Tube 6 OD x 3/8"	6m ATPM6	*	42-433	*
Tube 6 OD x 1/2"	6m ATPM8	42-404	42-434	*
Tube 8 OD x 1/4"	8m ATPM4	*	42-437	*
Tube 10 OD x 1/4"	10m ATPM4	*	42-442	*
Tube 10 OD x 3/8"	10m ATPM6	*	42-443	*
Tube 10 OD x 1/2"	10m ATPM8	*	42-444	*
Tube 12 OD x 1/4"	12m ATPM4	42-427	42-447	*
Tube 12 OD x 3/8"	12m ATPM6	42-428	42-448	42-430
Tube 12 OD x 1/2"	12m ATPM8	42-429	42-449	*
Tube 16 OD x 1/2"	16m ATPM8	42-4295	*	*

Male Stud Standpipe Adaptor with o-ring

		BSPP
Tube 6 OD x 1/8"	6m ATPM2-OR	42-980
Tube 6 OD x 1/4"	6m ATPM4-OR	42-981
Tube 12 OD x 1/4"	12m ATPM4-OR	42-990
Tube 12 OD x 3/8"	12m ATPM6-OR	42-991
Tube 12 OD x 1/2"	12m ATPM8-OR	42-992

* - by order



I . A . C . Komponenter AB

International Automation Components


P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15
E-mail: habo@iackomp.se www.iackomp.se

Compression Couplings

- Safelok • Stainless steel SS 316 - 2343 • NPT - American taper thread
- BSPP (R) - European parallel thread • BSPT (KR) - European taper thread
- Also available in fractional and 3, 4, 20, 22, 25 mm.



Tube	Type.No.	Part.No.	
Female Stud Standpipe Adaptor		NPT	BSPP (for gauge)
Tube 6 OD x 1/8"	6m ATPF2	*	42-461
Tube 6 OD x 1/4"	6m ATPF4	*	42-462
Tube 6 OD x 1/2"	6m ATPF8	42-451	42-464
Tube 8 OD x 1/4"	8m ATPF4	*	42-467
Tube 10 OD x 1/4"	10m ATPF4	*	42-472
Tube 10 OD x 3/8"	10m ATPF6	*	42-473
Tube 10 OD x 1/2"	10m ATPF8	*	42-474
Tube 12 OD x 1/4"	12m ATPF4	42-452	42-477
Tube 12 OD x 3/8"	12m ATPF6	*	42-478
Tube 12 OD x 1/2"	12m ATPF8	*	42-479
Tube 16 OD x 1/2"	16m ATPF8	42-450	*



Blanking End		
6 mm	6m BE	42-380
8 mm	8m BE	42-381
10 mm	10m BE	42-382
12 mm	12m BE	42-383
18 mm	18m BE	42-3835



Blanking Plug		
6 mm	BP 6m	42-385
8 mm	BP 8m	42-386
10 mm	BP 10m	42-387
12 mm	BP 12m	42-388
15 mm	BP 15m	42-3885
16 mm	BP 16m	42-3886
18 mm	BP 18m	42-389



Compression Nut		
3 mm	3m N	*
6 mm	6m N	42-390
8 mm	8m N	42-391
10 mm	10m N	42-392
12 mm	12m N	42-393
15 mm	15m N	42-3932
16 mm	16m N	42-3933
18 mm	18m N	42-3935
20 mm	20m N	42-3937
22 mm	22m N	42-3938
25 mm	25m N	42-3939



Front and Back Sealing		
3 mm	3m RC+FC	*
6 mm	6m RC+FC	42-395
8 mm	8m RC+FC	42-396
10 mm	10m RC+FC	42-397
12 mm	12m RC+FC	42-398
15 mm	15m RC+FC	42-399
16 mm	16m RC+FC	42-3993
18 mm	18m RC+FC	42-3995
20 mm	20m RC+FC	42-3997
22 mm	22m RC+FC	42-3998
25 mm	25m RC+FC	42-3999

Sealring Teflon		
12 mm		42-3985

* - by order



I . A . C . Komponenter AB

International Automation Components

Profilgatan 8 S-566 33 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se