



Pneumatic Cables & Tubes

Single - and multi tubes

- OsnaLine, if nothing else is noted • Flame-retardant pvc-jacket standard can even be delivered with flame-retardant halogen free LDPE-jacket
- Single tubes are delivered in boxes of 250 m (6 mm), 100 m (8 mm), with jacket 250m.
- Multi tubes are delivered on drums of 500 m

Size	Type.No.	Part.No.
Single tube polyethylene - LDPE halogenfree		
6 x 1.0 mm blue	701	21-001
6 x 1.0 mm red	701	21-002
6 x 1.0 mm black	701	21-003
6 x 1.0 mm green	701	21-004
6 x 1.0 mm yellow	701	21-005
6 x 1.0 mm white	701	21-0065
8 x 1.0 mm black	701	21-009
1/4" x 0.040" black	701	21-007
1/4" x 0.040" blue	701	21-050
1/4" x 0.040" red	701	21-051
1/4" x 0.040" green	701	21-052
1/4" x 0.040" yellow	701	21-053
3/8" x 0.040" black	701	21-0085
3/8" x 0.062" black	701	21-008
Single tube polyamide - PA halogenfree		
4/2.7 mm blue		21-235
4/2.7 mm white		21-236
4/2.7 mm black		21-237
6/4.2 mm blue		21-238
6/4.2 mm white		21-239
6/4.2 mm black		21-240
8/6 mm blue		21-241
8/6 mm white		21-242
8/6 mm black		21-243
10/8 mm blue		21-244
10/8 mm white		21-245
10/8 mm black		21-246
12/10 mm blue		21-247
12/10 mm white		21-248
12/10 mm black		21-249
Single tube polyurethane - PUR halogenfree		
4/2.2 mm blue		21-251
4/2.2 mm white		21-252
6/3.9 mm blue		21-253
6/3.9 mm white		21-254
6/3.9 mm black		21-2545
8/5.7 mm blue		21-255
8/5.7 mm white		21-256
10/7.5 mm blue		21-257
10/7.5 mm white		21-258
12/9 mm blue		21-259
12/9 mm white		21-260
Single tube teflon - PTFE		
6 x 1.0 mm white		21-280
8 x 1.0 mm white		21-281



I . A . C . Komponenter AB

International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se



Pneumatic Cables & Tubes

Single - and multi tubes

- OsnaLine, if nothing else is noted • Flame-retardent pvc-jacket standard can even be delivered with flame-retardent halogen free LDPE-jacket
- Single tubes are delivered in boxes of 250 m (6 mm), 100 m (8 mm), with jacket 250m.
- Multi tubes are delivered on drums of 500 m

Size	Type.No.	Part.No.
------	----------	----------

Single tube polyvinyl chloride - PV



6/4 mm blue	21-271
8/6 mm blue	21-273
10/8 mm blue	21-275
12/10 mm blue	21-277

Single tube PAUR



4/2.5 mm blue	21-2911
4/2.5 mm white	21-2912
4/2.5 mm black	21-2913
6/4 mm blue	21-2921
6/4 mm white	21-2922
6/4 mm black	21-2923
6/4 mm yellow	21-2924
8/6 mm blue	21-2931
8/6 mm white	21-2932
8/6 mm black	21-2933
8/6 mm yellow	21-2934
10/8 mm blue	21-2941
10/8 mm white	21-2942
10/8 mm black	21-2943
10/8 mm yellow	21-2944
12/9 mm blue	21-2951
12/9 mm white	21-2952
12/9 mm black	21-2953
12/9 mm yellow	21-2954

Single tube polyethylene/pvc-jacket



6 x 1.0 mm blue	7010	21-082
6 x 1.0 mm black	7010	21-083
8 x 1.0 mm blue	7010	21-084
8 x 1.0 mm black	7010	21-085
10 x 1.0 mm blue	7010	21-086
10 x 1.0 mm black	7010	21-087
12 x 1.0 mm blue	7010	21-088
12 x 1.0 mm black	7010	21-089

Single tube polyamide/LDPE-jacket halogenfree



6 x 1.0 mm green	21-571
6 x 1.0 mm blue	21-572
6 x 1.0 mm black	21-573
8 x 1.0 mm blue	21-574
8 x 1.0 mm black	21-575
10 x 1.0 mm blue	21-576
10 x 1.0 mm black	21-577
12 x 1.0 mm black	21-579



I . A . C . Komponenter AB

International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se



Pneumatic Cables & Tubes

Single - and multi tubes

- OsnaLine, if nothing else is noted • Flame-retardant pvc-jacket standard can even be delivered with flame-retardant halogen free LDPE-jacket
- Single tubes are delivered in boxes of 250 m (6 mm), 100 m (8 mm), with jacket 250m.
- Multi tubes are delivered on drums of 500 m



Size	Type.No.	Part.No.
Single tube copper/pvc-jacket		
6 x 1.0 mm black	7050	21-071
8 x 1.0 mm black	7050	21-072
10 x 1.0 mm black	7050	21-073
12 x 1.0 mm black	7050	21-074
1/4" x 0.036" black	7050	21-075



Single tube "Dekabon" Synflex 1300 Polyethylene/Aluminum		
6 mm svart		21-150
8 mm svart		21-151
10 mm svart		21-152
12 mm svart		21-153

- Polyethylene/Aluminum
- Temperature range -25° C - +80° C



Steel Wire Braid Hose stainless steel		
6 mm pipe end L=300mm		27-103
6 mm pipe end L=500mm		27-105
12 mm pipe end L=300mm		27-113
12 mm pipe end L=500mm		27-115
18 mm pipe end L=300mm		27-123
18 mm pipe end L=500mm		27-125

Can be ordered in any length and with any size on the ends.



Tube cutter for plastic tube		
Plastic 1-15 mm		91-031
Extra edge		91-035



Insert for plastic tube brass		
For 6/4 mm tube		43-180
For 8/6 mm tube		43-181
For 10/8 mm tube		43-182
For 12/10 mm tube		43-183



Insert for plastic tube SS 316		
For 6/4 mm tube		42-180
For 8/6 mm tube		42-181
For 10/8 mm tube		42-182
For 12/10 mm tube		42-183
For 16/14 mm tube		42-186



I . A . C . Komponenter AB

International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se